

Notice of Allowability

Application No.

10/701,448

Applicant(s)

KOMATSU, HIROSHI

Examiner

Hoa V. Le

Art Unit

1752

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 25 April 2005.
2. ☒ The allowed claim(s) is/are 1-13 and 15-17.
3. ☒ The drawings filed on 06 November 2003 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).**
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 25 April 2005
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Hoa V. Le
Primary Examiner
Art Unit: 1752

This is in response to Papers faxed on 25 April 2005.

I. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. William I. Solomon on 25 May 2005.

AMENDMENT: Claim 14 has been canceled.

II. The newly submitted English language portions of the cited Japanese applications '828, '620 and '862 have been considered.

III. The following is an examiner's statement of reasons for allowance: Applicant's amendment and arguments have been carefully considered. It is correct that the applied JP '665 on the record is related to a negative photosensitive resin (polymer) composition comprising a resin of unsaturated cyclic caps of polyamide containing units, the photoreactive compound being a photoinitiator to cause a reaction or crosslinking or hardening of the reacted polymer in a region being radiated and diluting organic solvent. The claims have been added with (1) a photoreactive compound "which generates an acid upon undergoing a reaction with light" and "wherein said photosensitive resin composition is a positive photosensitive resin composition"

Art Unit: 1752

that is sufficient to overcome the applied JP '665 on the record. New search for all claims have been made. However, no pertinent prior art against the amended claims is found. Accordingly, claims 1-17 are allowable over JP '665.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

IV. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hoa V. Le whose telephone number is 571-272-1332.

The examiner can normally be reached from 6:30 AM to 4:30 PM on Monday through Thursday and about the same time of most Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cynthia Kelly can be reached on 571-272-1526.

Applicants may file a paper by (1) fax with a central facsimile receiving number 703-872-9306. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/701,448

Page 4

Art Unit: 1752

Hoa V. Le
Primary Examiner
Art Unit 1752

HVL
25 May 2005

HOA VAN LE
PRIMARY EXAMINER

Hoa Van Le